






carpetec™ MP

This multifunctional profile has a self adjusting feature which allows it to automatically adjust to differing flooring heights.  
Terminal or junction between two different coverings.



Illustrated scale dimension 1:1



**CARPETEC MP 28 A Anodised aluminium**

This anodised aluminium profile is available in three different colour finishes: Silver (AS), Gold (AO), Bronze (AB). The profile is commonly used in domestic environments for the colour coordination. Available with self-adhesive base (\*A) for a quick installation or drilled base (\*F) to be installed with screws and dowels.

	B=mm	Art.		Adhesive	Drilled
Material:	28	MP	28	ASA	ASF
Extruded anodised aluminium	28	MP	28	AOA	AOF
Finish: Silver (AS), Gold (AO), Bronze (AB)	28	MP	28	ABA	ABF
Length: 2,70 metres					
Pre-cut length: 0,90/1,35 metres					

Pre-cut length available in SELFLINE kit L= 0,90/1,35 m



variotec™

VARIOTEC range comprises a wide choice of many other versatile edgings, to best shop fit and protect many different flooring materials or fit onto existing floors. It is highly suitable for connecting ceramic or wood floorings to lower thinner coverings, such as vinyl or carpet.




**VARIOTEC DR 36 OLA Polished Brass (with adhesive)**  
Slope edge rotating profile in solid brass resistant to abrasion, chemical and mechanical impact.




	B=mm	Art.		
Material: Extruded Brass	36	DR	36	OLA
Finish: Polished (OL)				
Length: 2,70 metres				
0,90/1,35 metres				

**VARIOTEC DR 36 A\*A Anodised Aluminium (with adhesive)**  
Slope edge rotating aluminium profile available in three different colour finishes: Silver, Gold, Bronze ensuring to good colours matching with all kinds of floor coverings. Indicated for domestic applications.



Material:	36	DR	36	ASA
Extruded anodised aluminium	36	DR	36	AOA
	36	DR	36	ABA
Finish*: Silver (AS), Gold (AO), Bronze (AB)				
Length: 2,70 metres:				

**VARIOTEC DS 27\* Polished Brass - Polished Stainless Steel (with adhesive)**  
Flattening profile for 7 ÷ 12 mm height compensation. Comes in Brass or Stainless Steel with self adhesive strips with excellent hold.



Material:	27	DS	27	OLA
Laminated Brass	27	DS	27	ILA
Stainless Steel				
Finish: Polished (LA)				
Length: 2,70 metres				
0,90/1,35 metres				

**VARIOTEC LS 30 A\*A Anodised Aluminium (with adhesive)**  
Flattening profile for 7 ÷ 13 mm height compensation. Comes with adhesive glue strips with excellent hold




Material:	30	LS	30	ASA
Extruded anodised aluminium	30	LS	30	AOA
	30	LS	30	ABA
Finish*: Silver (AS), Gold (AO), Bronze (AB)				
Length: 2,70 metres				

Pre-cut length available in SELFLINE kit L= 0,90/1,35 m

## מוצרים - פרופיל אלומיניום סף מדרגה - 5400

דף הבית < מוצרים < פרופיל אלומיניום סף מדרגה - 5400



### פרופיל אלומיניום סף מדרגה - 5400

★★★★★ (אין עדיין חוות דעת.)

סף מדרגה מעוגל אשר נועד להתקנה במקביל לביצוע חיפוי (את האריח מדביקים עליו).

פרופיל אלומיניום זה מתאים לשימוש עם כל אריח בעובי עד 9 מ"מ. בשל צורתו המעוגלת מעניק סף מדרגה דגם 5400 גימור משולם וסיומת מרוככת לכל מדרגה. החירוץ בחלקו העליון של הפרופיל מבטיחה הגנה בפני החלקה. תיך להשיג בצבע טבעי, אנודייז וברונזה

מק"ט: 5400

קטגוריה: סף מדרגה

קרא עוד

הוסף לרשימת המשאלות



תאור (0) חוות דעת

סף מדרגה זה מקטגוריית ספי מדרגות הוא עוד מוצר איכות מתוך שפע רב של פרופילים אלומיניום הנמכרים אצל Bau Decor - יבואן פרופילי אלומיניום וכן מחסן אלומיניום בחולון המתמחים בפרופילים אלומיניום לעיצוב הבית ולגמר ובנייה.

**נציג**  
זמין לשיחה



Wall section where the application of the jointing RJ capsule for the profile trim finish is evident.

Other applications may be: top skirting finish (as seen in diagram) or edging of tile covering, natural stone or limestone as well as for moquette carpeting. To ensure a perfect grip, the profile trim must be completely filled all within the cavity with the grout for layers.

**ROUNDJOLLY® RJ-A\* Extruded Powder Coated Aluminium**

This aluminium profile is lacquered with polyester powder base varnish paint in order to guarantee tolerance against main domestic cleaning products and atmospheric agents as well as UV rays. The profiles perform in endurance and elasticity for one may find a not so straight wall during the installation. The profile is entirely varnished also within its flange.

	Colour	H=4,5mm	H=6mm	H=8mm
Material: Powder coated aluminium	11= Pure white	RJ 45 A 11	RJ 60 A 11	RJ 80 A 11
	12= White	RJ 45 A 12	RJ 60 A 12	RJ 80 A 12
	13= Rustic white		RJ 60 A 13	RJ 80 A 13
	21= Light grey	RJ 45 A 21	RJ 60 A 21	RJ 80 A 21
	22= Grey	RJ 45 A 22	RJ 60 A 22	RJ 80 A 22
	23= Cement grey	RJ 45 A 23	RJ 60 A 23	RJ 80 A 23
	31= Bahama beige	RJ 45 A 31	RJ 60 A 31	RJ 80 A 31
	32= Dark beige	RJ 45 A 32	RJ 60 A 32	RJ 80 A 32
	41= Cream	RJ 45 A 41	RJ 60 A 41	RJ 80 A 41
	42= Ivory	RJ 45 A 42	RJ 60 A 42	RJ 80 A 42
	51= Black	RJ 45 A 51	RJ 60 A 51	RJ 80 A 51

	Colour	H=10mm	H=12,5mm
Material: Powder coated aluminium	11= Pure white	RJ 100 A 11	RJ 125 A 11
	12= White	RJ 100 A 12	RJ 125 A 12
	13= Rustic white	RJ 100 A 13	RJ 125 A 13
	21= Light grey	RJ 100 A 21	
	22= Grey	RJ 100 A 22	RJ 125 A 22
	23= Cement grey	RJ 100 A 23	
	31= Bahama beige	RJ 100 A 31	RJ 125 A 31
	32= Dark beige	RJ 100 A 32	
	41= Cream	RJ 100 A 41	
	42= Ivory	RJ 100 A 42	
	51= Black	RJ 100 A 51	

**ROUNDJOLLY® RJ-P\* Full body coloured Synthetic Resin**

The product is entirely of a solid colour compound and not colour coated. This profile is available in a wide range of colours and can be utilized in the most diverse environments which require coverings. This type of trim profile is easy to cut to size so the laying may result quicker and less time consuming therefore one would economize in terms of working over the entire project budget. Again this product maintains a good performance over time against UV rays and small scratches provoked from friction, tolerates impact and chemical agents present in most detergents.

	Colour	H=6mm	H=8mm	H=10mm
Material: Resintop	11= Pure white	RJ 60 P 11	RJ 80 P 11	RJ 100 P 11
	12= White	RJ 60 P 12	RJ 80 P 12	RJ 100 P 12
	21= Light grey	RJ 60 P 21	RJ 80 P 21	RJ 100 P 21
	22= Grey	RJ 60 P 22	RJ 80 P 22	RJ 100 P 22
	23= Cement grey	RJ 60 P 23	RJ 80 P 23	RJ 100 P 23
	31= Bahama beige	RJ 60 P 31	RJ 80 P 31	RJ 100 P 31
	32= Dark beige	RJ 60 P 32	RJ 80 P 32	RJ 100 P 32
	41= Cream	RJ 60 P 41	RJ 80 P 41	RJ 100 P 41
	42= Ivory	RJ 60 P 42	RJ 80 P 42	RJ 100 P 42
	43= Peach	RJ 60 P 43	RJ 80 P 43	RJ 100 P 43
	44= Light Pink	RJ 60 P 44	RJ 80 P 44	RJ 100 P 44
45= Light Blue	RJ 60 P 45	RJ 80 P 45	RJ 100 P 45	
46= Light green	RJ 60 P 46	RJ 80 P 46	RJ 100 P 46	
51= Black	RJ 60 P 51	RJ 80 P 51	RJ 100 P 51	

**ROUNDCAPSULE RJC and RJJ**

End caps for the profiles ROUNDJOLLY® series. They can perfectly connect 2 or 3 axis.

Available external end caps Code RJC and internal ones Code RJJ.

Available also end caps RJC-A and RJJ-A in Aluminium with an imitation Polished Stainless steel finish.

	H=mm	Plastic	Aluminium	Stainless Steel	Chromed Brass
Material: Plastic, Powder Coated Aluminium, Anodised Aluminium, Stainless steel Polished brushed, Sanded	4,5		RJC 45 A*	RJC 45 IL/IS	
	6	RJC/ 60 P*	RJC/ 60 A*	RJC/ 60 IL/IS/ILM	RJC 60 OC
	8	RJC/ 80 P*	RJC/ 80 A*	RJC/ 80 IL/IS/ILM	RJC 80 OC
	10	RJC/ 100 P*	RJC/ 100 A*	RJC/ 100 IL/IS/ILM	RJC 100 OC
	125	RJC/ 125 P*	RJC/ 125 A*	RJC/ 125 IL/IS/ILM	RJC 125 OC
	15			RJC 150 IL/IS	

Colours\*: as per matching RJ profiles






roundjolly® RJ

The ROUNDJOLLY® profile perfects and protects the external sharp corners leaving a pleasant aesthetic finish to the wall. The corner of the wall is well protected from impact and the edge being rounded off, thanks to the ROUNDJOLLY® circle section, is less dangerous in case one should accidentally hit it.



Illustrated scale dimension 1:1  
(RJ 80\*)



**ROUNDJOLLY® RJ-I\* Stainless steel AISI 304 - DIN 1.4301 and AISI 316**

Stainless steel can ensure a high tolerance against most diluted chemical products therefore it is ideal for food industry environments, hospitals and laboratories. The AISI 316 (code ILM) choice is recommended as standard for salty or aggressive environments. Available in the polished version, (IL), brushed, (IS) and sanded, (IX) (H 8,10,12,5)\* - RJ 45: different section.

**ROUNDJOLLY® RJ-OC Chromed Brass**

Brass profile with top chrome (OC) finishing effect. Resistant to humidity. Great visual impact and good tolerance to mechanical stress.

**ROUNDJOLLY® RJ-A\* Anodised Aluminium**

Silver (AS), gold (AO), copper (AR) or titanium (AT) coated aluminium profile which offers adequate protection and tolerance to wear over time. The surface of this anodised aluminium profile has been chrome (ASB), titanium (ATB), gold (AOB) or copper (ARB) effect treated in order to give that sparkling effect in combination with bathroom ware. It holds the same properties as the other aluminium models.

	H=mm		Art.	
Material: Stainless steel AISI 304	4,5	RJ	45	IL/IS/ILM
Stainless steel AISI 316 (ILM)	6	RJ	60	IL/IS/ILM
Finish: Polished (IL), Brushed(IS), Sanded (IX)	8	RJ	80	IL/IS/IX/ILM
	10	RJ	100	IL/IS/IX/ILM
Length: 2,70 metres	12,5	RJ	125	IL/IS/IX/ILM
	15	RJ	150	IL/IS
☒ "thin" line				

Material:Brass	6	RJ	60	OC
	8	RJ	80	OC
Finish: Chrome (OC)	10	RJ	100	OC
	12,5	RJ	125	OC
Length: 2,70 metres				

Material: Extruded anodised aluminium	4,5	RJ	45	AS/ASB
Finish: Silver (AS), Gold (AO), Copper (AR), Titanium (AT), Polished chrome (ASB), Bright polished titanium (ATB), Bright polished gold (AOB), Copper bright polished (ARB)	6	RJ	60	AS/AO/AR/AT/ASB/ATB/AOB/ARB
	8	RJ	80	AS/AO/AR/AT/ASB/ATB/AOB/ARB
	10	RJ	100	AS/AO/AR/AT/ASB/ATB/AOB/ARB
Length: 2,70 metres	12,5	RJ	125	AS/AO/AR/AT/ASB/ATB/AOB/ARB
☒ "thin" line				